



IMPACT SERIES

IP66 Industrial Range Isolator Switch-Disconnectors

Data
Specification **20
26**



AUSTRALIA WIDE DELIVERY
Expedited delivery to all states in
Australia



SAME DAY DISPATCH
Orders prior to 12PM will be
dispatched the same day



5 YEAR WARRANTY
You can get a trusted 5 Year In
House Warranty with CSG

[DESCRIPTION]

AC ISOLATORS

The IMPACT range of isolating switch-disconnectors are made from impact resistant polycarbonate material and tested to achieve IP66 Protection Rating. They are sturdy built to withstand extreme weather conditions. They are designed for frequent switching, even severe loads encountered with the loads of motors or other highly inductive loads. Toggles are lockable with ON and OFF identification. Rated from 240V AC to 500V AC. Available in 1, 3 and 4 pole up to 63amps.

[FEATURES]

- Impact Resistant
- ON/OFF Switching
- 7mm Ø Lockable Handle
- Ample Conduit Entries

[TECHNICAL PARAMETERS]

- IP Protection: IP66
- Rated Voltage: 250V/500V AC
- Rated Frequency: 50/60Hz
- Operating Temp: -40°C - 80°C
- Utilization Category: AC22A
- Complies with:
AS 60947.3:2018
AS/NZS IEC 60947.1:2015

[APPROVALS]

SAA Approved

[IMAGES]



IS120

[DESCRIPTION]

AC MINI ISOLATORS

The IMPACT range of mini switch-disconnectors come with all the features of the larger switch-disconnectors simply smaller in size. Uniquely designed for harsh conditions where space is limited. Lockable toggle with ON and OFF identification and rated IP66.

[FEATURES]

- Impact Resistant
- Compact Size
- Large Lever Handle
- 8mm Ø Lockable Handle
- Neon Indicator
- Ample Conduit Entries

[TECHNICAL PARAMETERS]

- IP Protection: IP66
- Rated Voltage: 250V AC
- Rated Frequency: 50/60Hz
- Operating Temp: -40°C - 80°C
- Utilization Category: AC22B
- Complies with:
AS/NZS 60947.3:2015
AS/NZS 60947.1:2015

[APPROVALS]

SAA Approved

[IMAGES]



ISM120

[SPECIFICATIONS]

Product Code	Rating (Amps)	Designation	Length (mm)	Width (mm)	Depth (mm)	Conduit Entries	Max Cable Size
IS120	20A	Single Pole	162	80	87	4 x 25mm	16mm ²
IS132	32A	Single Pole	162	80	87	4 x 25mm	16mm ²
IS163	63A	Single Pole	162	80	87	4 x 25mm	25mm ²
IS263	63A	Double Pole	162	80	87	4 x 25mm	25mm ²
IS320	20A	Double Pole	162	80	87	4 x 25mm	16mm ²
IS332	32A	Double Pole	162	80	87	4 x 25mm	16mm ²
IS340	40A	Double Pole	162	80	87	4 x 25mm	25mm ²
IS363	63A	Double Pole	162	80	87	4 x 25mm	25mm ²
IS432	32A	Four Pole	162	80	87	4 x 25mm	25mm ²
IS463	63A	Four Pole	162	80	87	4 x 25mm	25mm ²
ISM116	16A	Single Pole	86	86	86	3 x 20mm 3 x 25mm	2.5mm ²
ISM120	20A	Single Pole	86	86	86	3 x 20mm 3 x 25mm	2.5mm ²
ISM132	32A	Single Pole	86	86	86	3 x 20mm 3 x 25mm	6.0mm ²
ISM220	20A	Double Pole	86	86	86	3 x 20mm 3 x 25mm	2.5mm ²
ISM235	35A	Double Pole	86	86	86	3 x 20mm 3 x 25mm	10mm ²

[WARRANTY]

Connected Switchgear IMPACT series of product come with a trusted 5 Year In House Warranty. That means that you have peace of mind knowing that if a fault develops within a five year period, Connected Group Australia will cover the cost of replacing the product and it's installation.*

* See our website for full terms and conditions www.connectedswitchgear.com.au

IMPACT